

## CLAIMS

- 5           1.     A label display system, comprising:  
          a foldable label base configured to display labels for a portable  
          computing device; and  
          the foldable label base configured to be unfolded into a first position and  
          folded into a second position, the labels being viewable in the first position and  
10          at least some of the labels being concealed from view in the second position.
2.     A label display system as recited in claim 1, wherein the foldable  
          label base includes a first side to display one or more of the labels and a second  
          side to display one or more of the labels.
- 15          3.     A label display system as recited in claim 1, wherein the foldable  
          label base is configured to display regulatory labels.
4.     A label display system as recited in claim 1, wherein the foldable  
20          label base is configured to display certification marking labels.
5.     A label display system as recited in claim 1, wherein the foldable  
          label base is permanently attached to the portable computing device.
- 25          6.     A label display system as recited in claim 1, wherein the foldable  
          label base is collapsible into the second position.
7.     A label display system as recited in claim 1, wherein the foldable  
          label base is collapsible into a recess in the portable computing device.
- 30          8.     A label display system as recited in claim 1, wherein the foldable  
          label base is expandable to the first position.

9. A label display system as recited in claim 1, further comprising a label display cover configured to engage the portable computing device and secure the foldable label base in the second position.

5

10. A label display system as recited in claim 1, further comprising a label display cover configured to engage the portable computing device and secure the foldable label base in a recess in the portable computing device.

10

11. A label display system, comprising:

a foldable label base configured to display required labels for an electronic device; and

the foldable label base configured to be unfolded into a first position and folded into a second position, the required labels being viewable in the first position and at least some of the required labels being concealed from view in the second position.

15

12. A label display system as recited in claim 11, wherein the foldable

label base includes a first side to display one or more of the required labels and a second side to display one or more of the required labels.

20

13. A label display system as recited in claim 11, wherein the foldable label base is configured to display regulatory labels.

25

14. A label display system as recited in claim 11, wherein the foldable label base is configured to display certification marking labels.

15. A label display system as recited in claim 11, wherein the foldable label base is permanently attached to the electronic device.

30

16. A label display system as recited in claim 11, wherein the foldable label base is collapsible into the second position.

17. A label display system as recited in claim 11, wherein the foldable label base is collapsible into a recess in the electronic device.

5 18. A label display system as recited in claim 11, wherein the foldable label base is expandable to the first position.

10 19. A label display system as recited in claim 11, further comprising a label display cover configured to engage the electronic device and secure the foldable label base in the second position.

20. A label display system as recited in claim 11, further comprising a label display cover configured to engage the electronic device and secure the foldable label base in a recess in the electronic device.

15 21. A method, comprising:  
attaching labels for a portable computing device to a foldable label base;  
the foldable label base being moveable between a first position and a second position, wherein the labels are viewable in the first position and at least  
20 some of the labels are concealed from view in the second position.

22. A method as recited in claim 21, wherein attaching includes attaching one or more of the labels to a first side of the foldable label base, and attaching one or more of the labels to a second side of the foldable label base.

25 23. A method as recited in claim 21, wherein attaching includes attaching regulatory labels.

30 24. A method as recited in claim 21, wherein attaching includes attaching certification marking labels.

25. A method as recited in claim 21, further comprising collapsing the foldable label base into the second position.

26. A method as recited in claim 21, further comprising collapsing the foldable label base into a recess in the portable computing device.

27. A method as recited in claim 21, further comprising expanding the foldable label base into the first position.

28. A method as recited in claim 21, further comprising engaging the portable computing device with a label display cover, and securing the foldable label base in the second position.

29. A method as recited in claim 21, further comprising collapsing the foldable label base into the second position, and engaging the portable computing device with a label display cover to secure the foldable label base in the second position.

30. A method, comprising:  
displaying required labels for an electronic device on a foldable label base;

the foldable label base being moveable between a first position and a second position, wherein the required labels are displayed in the first position and at least some of the required labels are concealed from display in the second position.

31. A method as recited in claim 30, wherein displaying includes displaying one or more of the required labels on a first side of the foldable label base, and displaying one or more of the required labels on a second side of the foldable label base.

32. A method as recited in claim 30, wherein displaying includes displaying regulatory labels.

33. A method as recited in claim 30, wherein displaying includes displaying certification marking labels.

34. A method as recited in claim 30, further comprising collapsing the foldable label base into the second position.

10 35. A method as recited in claim 30, further comprising collapsing the foldable label base into a recess in the electronic device.

36. A method as recited in claim 30, further comprising expanding the foldable label base into the first position.

15 37. A method as recited in claim 30, further comprising engaging the electronic device with a label display cover, and securing the foldable label base in the second position.

20 38. A method as recited in claim 30, further comprising collapsing the foldable label base into the second position, and engaging the electronic device with a label display cover to secure the foldable label base in the second position.

25